




KM 75/40 W P

A user-friendly walk-behind vacuum sweeper with Honda petrol engine and traction drive.



1 Waste container with trolley grip

- Waste container with recessed grips - easy to remove and empty .
- Short disposal times.



2 Efficient filter system with mechanical filter cleaning

- 1.8 m² filter area for long work intervals.
- Made of tough polyester for durability.



3 Easy to maintain

- Filter and roller brush are easy to remove without tools for flexible maintenance.



4 EASY-Operation concept

- Clear arrangement of all controls on the handle for convenient sweeping.
- Standard symbols for all Kärcher sweepers.



KM 75/40 W P

- Waste container with trolley grip
- Roller brush replacement without tools
- Efficient filter cleaning system with clean filter replacement without tools

Technical data

Order no.	1.049-205.0	
EAN code	4039784467330	
Drive type	Petrol	
Motor manufacturer	Honda	
Drive - power	W	3300
Max. Area Performance	m²/h	3375
Working width	mm	550
Working width with 1 side brush	mm	750
Waste container	l	40
Hill climbing ability	%	15
Operating speed	km/h	4,5
Filter area	m²	1,8
Weight	kg	84
Dimensions (L × W × H)	mm	1430 × 750 × 1190

Equipment

Flat pleated polyester filter	■
Manual filter cleaning system	■
Travel drive - forward	■
Adjustable roller brush	■
Mobile container	■
Bulk waste flap	■
Fold-down push handle	■
Overthrow sweeping principle	■
Vacuum	■
Adjustable suction power	■
Side brush, can be raised and adjusted	■

■ Included in delivery.

KM 75/40 W P

1.049-205.0

KÄRCHER



		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
Flat pleated filter								
Filter cartridge without groove KM 75/40	1	5.731-635.0					Moisture-proof, washable flat pleated filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.	■
Standard main roller brushes								
Reversing rolling mill standard	2	6.906-884.0		550 mm			Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
Main roller brush - Soft/natural								
Reversing rolling mill soft	3	6.906-886.0		550 mm			Specially designed with natural bristles for sweeping fine dust on smooth floors indoors	□
Main roller brush, hard								
Reversing rolling mill hard	4	6.906-885.0		550 mm			Hard main roller brush for removing stubborn, adhering dirt outdoors.	□
Main roller brush, antistatic								
Reversing rolling mill antistatic	5	6.906-950.0		550 mm			For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)	□
Filter conversion kit								
Add-on kit filter vibrator double	6	2.851-040.0					The dual filter scraper increases cleaning performance in areas subject to high dust levels.	□

■ Included in delivery. □ Available accessories.

KM 75/40 W P 1.049-205.0



		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
Standard side brushes								
Side broom standard	1	6.906-132.0			420 mm		Moisture-proof universal bristles, longlife, suitable for all surfaces	■
Side brush, hard								
Side broom hard	2	6.905-625.0			420 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, soft								
Side broom soft	3	6.905-626.0			420 mm		Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.	□

■ Included in delivery. □ Available accessories.