

## B 260 R I BP PACK+D100+DOSE

Equipped with a battery, charger and 100 cm disc brush head: the ride-on scrubber drier B 260 RI Bp Pack delivers an exceptional cleaning performance in tough industrial applications.



Made in Germany



Order no.

1.480-254.0

- EASY Operation selector switch

### Technical data

|                            |        |                    |
|----------------------------|--------|--------------------|
| EAN code                   |        | 4054278954325      |
| Drive type                 |        | Battery            |
| Traction drive             |        | Traction motor     |
| Working width of brushes   | cm     | 100                |
| Working width, vacuuming   |        | 114                |
| Tank of fresh/dirty water  |        | 260 / 260          |
| Battery type               |        | Low-maintenance    |
| Battery                    | V / Ah | 36 / 630           |
| Battery runtime            | h      | max. 5             |
| Brush contact pressure     | kg     | 130                |
| Aisle turning width        | cm     | 212                |
| Water consumption          | l/min  | max. 9             |
| Sound pressure level       | dB(A)  | 75                 |
| Total permissible weight   | kg     | 1840               |
| Weight without accessories | kg     | 1380               |
| Dimensions (L × W × H)     | mm     | 1950 × 1180 × 1570 |

### Equipment

|                                                                                             |          |
|---------------------------------------------------------------------------------------------|----------|
| Disc brush                                                                                  | ■        |
| Auto Fill                                                                                   | ■        |
| Powerful traction drive                                                                     | ■        |
| Battery and charger included                                                                | ■        |
| Automatic water stop                                                                        | ■        |
| DOSE                                                                                        | ■        |
| Parking brake                                                                               | ■        |
| Adjustable steering wheel                                                                   | ■        |
| Solenoid valve                                                                              | ■        |
| Squeegee, curved                                                                            | ■        |
| 2-tank system                                                                               | ■        |
| standard daytime driving light                                                              | ■        |
| Type of suction lips                                                                        | Linatex® |
| dosing canister for cleaning agent with closed loop system                                  | ■        |
| Kärcher colour and operating concept                                                        | ■        |
| Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights | ■        |
| Home Base fastening possibilities for mop or similar                                        | ■        |
| speed reduction in curves for increased safety                                              | ■        |
| electrical and mechanical float switch                                                      | ■        |
| Easy Operation selector switch                                                              | ■        |

■ Included in the scope of supply.

Users must receive training on this device.



## 10 km/h driving speed

- Enables a high area performance in next to no time and quick transportation operations.
- The steering angle sensor acts as a safety feature when driving in curves.
- There is automatic braking if speed is too high when driving in curves.



## Includes two turbines as standard

- Excellent vacuuming results on all surfaces.
- Wear-free Ec turbines.
- Optimised airflow with the newly developed squeegee.



## Welded industrial squeegee

- With tear-resistant, long-lasting Linatex® suction lips for excellent vacuuming results.
- Fast and simple replacement of the suction lips.
- Robust parallelogram holder with an evasion function for obstacles.

## ACCESSORIES FOR B 260 R I BP PACK+D100+DOSE


### 1.480-254.0



|                                                         |    | Order no.   | Description                                                                                                                                                                                                |   |
|---------------------------------------------------------|----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>DISC BRUSHES</b>                                     |    |             |                                                                                                                                                                                                            |   |
| Disc brush, medium, red, 510 mm                         | 1  | 4.905-026.0 | Red standard disc brush for regular maintenance cleaning.                                                                                                                                                  | ■ |
| Disc brush complete white D51, very soft, White, 510 mm | 2  | 4.905-028.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings.                                                                                                                               | □ |
| Disc brush, soft, natural, 510 mm                       | 3  | 4.905-027.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.                                                                                                                     | □ |
| Disc brush complete black D51, hard, black, 510 mm      | 4  | 4.905-029.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.                                                                                               | □ |
| <b>BRUSH HEADS</b>                                      |    |             |                                                                                                                                                                                                            |   |
| Brush head D 100                                        | 5  | 2.763-057.0 | The brush head with two disc brushes and 100 cm working width features a practical and time-saving quick brush switch system.                                                                              | ■ |
| <b>WIPING FLAPS</b>                                     |    |             |                                                                                                                                                                                                            |   |
| Linatex® squeegee blades                                | 6  | 4.250-167.0 | Set of tear-resistant squeegee blades made from Linatex®. They ensure the cleaning water stays in the working area of the brush head and optimum cleaning results with curve movements.                    | ■ |
| Squeegee blades, oil-resistant                          | 7  | 4.250-166.0 | Set of low-wear, oil-resistant squeegee blades made from polyurethane. For optimum cleaning results with curve movements and reliable keeping of the cleaning water in the working area of the brush head. | □ |
| <b>SQUEEGEES AND SQUEEGEE BLADES</b>                    |    |             |                                                                                                                                                                                                            |   |
| <b>Squeegees</b>                                        |    |             |                                                                                                                                                                                                            |   |
| Squeegee, 1140 mm, parabolic                            | 8  | 4.777-104.0 | Parabolic, robust squeegee made from aluminium with 1140 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips.                             | ■ |
| <b>Squeegee blades</b>                                  |    |             |                                                                                                                                                                                                            |   |
| Suction lips, Linatex®, 1260 mm                         | 9  | 4.250-137.0 | Tear-resistant suction lip made from Linatex® with special inlet openings for optimal suction results at crevices and joints. Suitable for parabolic squeegee with 1140 mm suction width.                  | ■ |
| Suction lips, oil-resistant, slotted, 1260 mm           | 10 | 4.250-143.0 | Low-wear, oil-resistant suction lip made from polyurethane. Three-layer material for high level of flexibility and optimum cleaning properties. For parabolic squeegee with 1140 mm suction width.         | □ |
| <b>DISC PADS / PAD DRIVE BOARDS</b>                     |    |             |                                                                                                                                                                                                            |   |
| <b>Microfibre pad</b>                                   |    |             |                                                                                                                                                                                                            |   |
| Microfibre pad, White, 508 mm, 5 x                      | 11 | 6.371-271.0 | Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.                                                                                                      | □ |
| <b>Pads</b>                                             |    |             |                                                                                                                                                                                                            |   |
| Pad, soft, White, 508 mm, 5 x                           | 12 | 6.371-320.0 | Soft, non-abrasive pad for polishing to a dazzling shine.                                                                                                                                                  | □ |
| Pad, soft, beige, 508 mm, 5 x                           | 13 | 6.369-468.0 | Beige-coloured pad for ultra high-speed polishing and cleaning.                                                                                                                                            | □ |
| Pad, medium-soft, red, 508 mm, 5 x                      | 14 | 6.369-079.0 | Red, standard disc pad for regular maintenance cleaning.                                                                                                                                                   | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR B 260 R I BP PACK+D100+DOSE 1.480-254.0



|                                                       |    | Order no.   | Description                                                                                                                                                                                                        |                          |
|-------------------------------------------------------|----|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>DISC PADS / PAD DRIVE BOARDS</b>                   |    |             |                                                                                                                                                                                                                    |                          |
| <b>Pads</b>                                           |    |             |                                                                                                                                                                                                                    |                          |
| Pad, medium-hard, green, 508 mm, 5 x                  | 15 | 6.369-078.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.                                                                                                                               | <input type="checkbox"/> |
| Pad, hard, black, 508 mm, 5 x                         | 16 | 6.369-077.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.                                                                                                         | <input type="checkbox"/> |
| Pad, hard, brown, 508 mm, 2 x                         | 17 | 2.639-258.0 | Very abrasive disc pad for chemical-free care film and decoating.                                                                                                                                                  | <input type="checkbox"/> |
| Natural hair pad, soft, natural, 500 mm, 5 x          | 18 | 6.371-146.0 | The soft beige disc pad made from natural hair is ideal for cleaning and high-gloss polishing.                                                                                                                     | <input type="checkbox"/> |
| <b>Pad drive boards</b>                               |    |             |                                                                                                                                                                                                                    |                          |
| Pad drive board STRONG, 479 mm                        | 19 | 4.762-593.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 51. | <input type="checkbox"/> |
| Pad drive board, 479 mm                               | 20 | 4.762-534.0 | For cleaning with pads. With quick-change coupling and Centerlock.                                                                                                                                                 | <input type="checkbox"/> |
| <b>Diamond pad</b>                                    |    |             |                                                                                                                                                                                                                    |                          |
| Diamond pad, coarse, White, 508 mm, 5 x               | 21 | 6.371-260.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.                                           | <input type="checkbox"/> |
| Diamond pad, medium, yellow, 508 mm, 5 x              | 22 | 6.371-261.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.                                                   | <input type="checkbox"/> |
| Diamond pad, fine, green, 508 mm, 5 x                 | 23 | 6.371-240.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.                                                                       | <input type="checkbox"/> |
| <b>Melamine pads</b>                                  |    |             |                                                                                                                                                                                                                    |                          |
| Melamine pad                                          | 24 | 6.371-025.0 | White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze.                                 | <input type="checkbox"/> |
| <b>KITS</b>                                           |    |             |                                                                                                                                                                                                                    |                          |
| <b>Side broom / side scrub deck mounting kit</b>      |    |             |                                                                                                                                                                                                                    |                          |
| Side scrubbing deck B 260 RI                          | 25 | 2.644-373.0 | For wet cleaning close to the edge on the right side: Side scrubbing deck with lifting arm. Extends the working width by 20 cm.                                                                                    | <input type="checkbox"/> |
| <b>Dose mounting kit</b>                              |    |             |                                                                                                                                                                                                                    |                          |
| Detergent dosing unit attachment kit DOSE B260RI      | 26 | 2.644-368.0 | Attachment kit for Kärcher scrubber dryers for the detergent dosing unit between 0.5 and 3% directly from up to 2x 10-l canisters. With filling level indicator on the device display.                             | <input type="checkbox"/> |
| <b>Lighting / revolving signal light mounting kit</b> |    |             |                                                                                                                                                                                                                    |                          |
| Flashing beacon B 260 RI                              | 27 | 2.644-363.0 | Flashing beacon attachment kit for Kärcher scrubber dryers. Improves visibility during cleaning applications and thus increases safety in the working environment.                                                 | <input type="checkbox"/> |
| Blue spotlight front B260RI                           | 28 | 2.644-366.0 | Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor in front of the machine for enhanced safety, e.g. in high-bay warehouses.                                   | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR B 260 R I BP PACK+D100+DOSE 1.480-254.0



|                                                       |    | Order no.   | Description                                                                                                                                                                                            |                          |
|-------------------------------------------------------|----|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>KITS</b>                                           |    |             |                                                                                                                                                                                                        |                          |
| <b>Lighting / revolving signal light mounting kit</b> |    |             |                                                                                                                                                                                                        |                          |
| Blue spotlight rear B260RI                            | 29 | 2.644-367.0 | Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor behind the machine for enhanced safety, e.g. in high-bay warehouses.                            | <input type="checkbox"/> |
| <b>Other attachment kits</b>                          |    |             |                                                                                                                                                                                                        |                          |
| Protective roof                                       | 30 | 2.643-849.0 | This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects - tested in accordance with EN IEC 60335-2-72. | <input type="checkbox"/> |
| 2-point safety belt                                   | 31 | 6.989-732.0 | Two-point safety belt for ride-on scrubber drier types B 250 R and B 250 R I. Considerably increases work safety for the operator.                                                                     | <input type="checkbox"/> |
| Squeegee impact protection                            | 32 | 2.644-369.0 | Impact protection for our B 260 RI ride-on scrubber drier. Prevents damage to the squeegee when reversing and prevents collisions with tall obstacles, such as pallets.                                | <input type="checkbox"/> |
| Attachment kit stacked bumper roller squeegee         | 33 | 4.035-619.0 | Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.                                             | <input type="checkbox"/> |

■ Included in the scope of supply.    ☐ Available accessories.